



**MAQUINARIA PARA LA MADERA**

**Construcciones P.B.R., s.l.**



**ULTRA tabletop model**

## **A machine for inserting hinges model ultra**

---

A tabletop machine designed for drilling and inserting hinges, bases and accessories of the type normally used in the furniture industry.

This is a robust machine that can be fitted to insert any make and type of hinge, with the possibility of the type or make of hinge being changed at any time. The machine is fitted with the respective tool, thereby avoiding having to depend on the hinge supplier, and allowing the client to freely select the supplier and make changes whenever it thinks fit.

The 'Ultra' model is fitted with an 1HP (1,5 HP) engine with continuous power (SI) and the machine can be fitted with drilling combs.

It has collapsible stops that are activated by the part that is being processed, preventing users from having to operate them by hand.

The machine has an automatic starting system for the drill unit, and this is put into operation only at the time of performing the drilling operation, and remains stopped for the rest of the time. It is activated by means of a bimanual control that is completely pneumatic, and all the client has to do is to put the hinge on the tool and turn it by hand



It has a large tabletop surface working range (1000 x 470 mm useful surface area) for working comfortably. The stops bar has a length of one metre and the numbering is engraved on the profile itself, to prevent it from becoming damaged due to using the machine.

The size of the stops bar can be enlarged at any time.

A bench is supplied as an accessory, for supporting the machine.

## **TECHNICAL CHARACTERISTICS:**

Engine power: 1 CV (1,5 HP) in continuous operation  
Voltage: 230 V / 400 V III 50 hz (\*)  
Working pressure: 6 kg  
Aspiration nozzle diameter: 40 mm

(\*) single-phase 220 V. On request.

## **OPERATING CHARACTERISTICS:**

Table sizes: 1000 x 470 mm  
Stops bar (\*): 1000 mm  
Number of collapsible stops (\*): 2  
Maximum thickness of part (\*): 24 mm  
Bench: Optional

(\*) Can be enlarged on request

## **DIMENSIONS:**

Height: 550 mm  
Length: 1000 mm  
Depth: 800 mm

## **ACCESSORIES:**

Stops bar extender  
Collapsible stop  
Hinge mould  
Base mould  
Drilling combs  
Bench



**Polig. Industrial “Coherman”**

**C/ Mercurio, 7**

**28970 Humanes de Madrid (Madrid)**

**Telf: (+34) 91 615 00 98 – Fax: (+34) 91 697 32 13**

**[www.construccionespbr.es](http://www.construccionespbr.es) - [info@construccionespbr.es](mailto:info@construccionespbr.es)**